

Truck Cabin Shock Absorber Spring Compressor

Many modern heavy goods vehicles and trucks have driver's cabins that have shock absorbers and springs fitted between the cabin and the chassis. Just like any shock absorber and coil spring combination these units will wear over time.

Given the dimensional size and strength of the spring used a suitable spring compressor is required to allow the spring to be compressed so the shock absorber can be replaced.


The 7461 has been introduced specifically to safely compress and hold the coil spring prior to removal of the shock absorber.



Additional Information

- Vehicle applications include: Volvo Trucks FM, FH 500P & 540P.
- Spring size: ID = 65mm, OD = 89mm. Use with ½" drive ratchet.
- Allows safe compression of the cabin spring for shock absorber removal.
- Always ensure the weight of the Cab is correctly supported – see OEM instructions.
- Use with Laser 6792 Shock absorber wrenches.

<http://lasertools.co.uk/product/7461>



HGV Cab Shock Absorber Tool - Volvo

Cab shock absorber tool for the removal and installation of HGV shock absorbers - Volvo



Additional Information

- Application: Volvo HGV
- Upper base nut extractor/installer
- For the removal and installation of the cab shock absorbers
- Manual operation
- For counter holding the piston rod and simultaneously turning the screw cap

<http://lasertools.co.uk/product/6792>



