20V 4.0AH **'ONE BATTERY POWERS ALL'** LI-ION BATTERY



Features 10 lithium cells, diagnostic LED to read health plus built in protection against over heating and overcharging.

- Protection against over heating & overcharging with a built in cooling channel which operates during the charging process.
- · LED power gauge lights to determine the remaining battery power.
- 4.0Ah battery with 10 lithium cells. Average charge time (to full charge): 60mins.

SPECIFICATIONS

Voltage	20v DC
Capacity	4.0Ah
Rechargeable Cells	10 x Li-lon
Cell type	Cylindrical ICR18650
Nominal Voltage per Cell	3.7v
Max /Min Voltage per Cell	4.2v (charge) - 2.75v (discharge)
Charge time (empty to full) @ 4A	60 mins
Safety features	Shortcircuit protection, over heating protection, over charging protection













Full Laser Tools Cordless Powertool Range Available









230V MAINS 4 AMP

BATTERY CHARGER



PAST • PRESENT • FUTURE



Mains battery charger is used with the 10 cell lithium battery (Part No. 8007).

- 230V mains input 12V DC output, 4 amp with BS plug.
- LED diagnosis light to determine the state of battery health.
- · Protection against over heating and overcharging.

SPECIFICATIONS

N YAYYA KA	
Input Voltage	230v
Output Voltage	20V DC
Charge Current	4 amp
Charge time (from empty)	60 mins
Battery Usage time (depending on tool & usage)	40 - 115 mins













8013

CORDLESS IMPACT

WRENCH



Full Laser Tools Cordless Powertool Range Available









CORDLESS VARIABLE SPEED IMPACT DRILL



NEW This dual speed impact drill delivers a comfort grip, variable power control and uses a 13mm keyless chuck. **FOR ALL** ONE LASER **POWERTOOLS** · Variable speed control with switchable



2 speed setting, forward & reverse button and 23 torque settings for hammer action, drilling and screwdriving. (max:130Nm).













WARRANTY



	Battery	20V-4Ah
	14 (ID14)	Speed 1 - 9600
	Max impact rate (IPM)	Speed 2 - 32000
	Max no load speed (RPM)	Speed 1 - 500
		Speed 2 - 1750
	Speed switch	2 speeds & reverse
	Max torque (Nm)	130Nm - 23 torque settings
	Drive	13mm keyless chuck
	Overall dimensions (mm) with battery	270 x 220 x 90
	Weight (kg)	1.7 (no battery) - 2.3 (with battery)
	Noise (dB)	80
	Extra features:	3 programs (impact, drill, screwdriver), target LED light, all-metal gearbox transmission
	Safety features	Trigger switch lock & motor overload protection
	Optional Extras	High torque handle for use above 80Nm



Additional Features: • 13mm keyless chuck, belt clip and innovative LED light keeps the workspace lit for several seconds after releasing the trigger.

