### 20V 4.0AH **'ONE BATTERY POWERS ALL'** LI-ION BATTERY



Features 10 lithium cells, diagnostic LED to read health plus built in protection against over heating and overcharging.

- Protection against over heating & overcharging with a built in cooling channel which operates during the charging process.
- · LED power gauge lights to determine the remaining battery power.
- 4.0Ah battery with 10 lithium cells. Average charge time (to full charge): 60mins.

#### **SPECIFICATIONS**

Voltage	20v DC
Capacity	4.0Ah
Rechargeable Cells	10 x Li-lon
Cell type	Cylindrical ICR18650
Nominal Voltage per Cell	3.7v
Max /Min Voltage per Cell	4.2v (charge) - 2.75v (discharge)
Charge time (empty to full) @ 4A	60 mins
Safety features	Shortcircuit protection, over heating protection, over charging protection













### **Full Laser Tools Cordless Powertool Range Available**









## **230V MAINS 4 AMP**

# **BATTERY CHARGER**



PAST • PRESENT • FUTURE



Mains battery charger is used with the 10 cell lithium battery (Part No. 8007).

- 230V mains input 12V DC output, 4 amp with BS plug.
- LED diagnosis light to determine the state of battery health.
- · Protection against over heating and overcharging.

### **SPECIFICATIONS**

N YAYYA I KA	
Input Voltage	230v
Output Voltage	20V DC
Charge Current	4 amp
Charge time (from empty)	60 mins
Battery Usage time (depending on tool & usage)	40 - 115 mins













8013

CORDLESS IMPACT

WRENCH



**Full Laser Tools Cordless Powertool Range Available** 









## CORDLESS **POLISHER**



NEW





- 5-stage speed selection 800 -2400rpm (max) with detachable 'D' handle for improved control.
- No Load Speed: 2400rpm (MAX). Additional Features:



· Comfort grip with safety switch. M14 spindle, for use with standard 150mm compound & polishing heads and spindle lock function for easy pad changeover.





### **SPECIFICATIONS**

Battery	20V-4Ah
Max no load speed (RPM)	800 - 2400
Speed Switch	Variable (800; 1200; 1600; 2000; 2400)
Drive	M14 - 180mm pad
Overall dimensions (mm) with battery	535 x 215 x 215
Weight (Kg)	2.2Kg (no battery) - 2.8Kg (with battery)
Noise (dB)	78
Working time (continuous)	≥ 40mins
Extra Features	Variable speed switch, all-metal transmission, target LED light, interchangeable D handle
Safety Features	Trigger switch lock & motor overload protection







20V

LITHIUM



LASER



**FOR ALL POWERTOOLS** 





