


LASER[®]

Part No. 6559

Instructions

Cambelt Tool Kit

VAG Petrol FSI 1.4, 1.6



*Please refer to www.lasertools.co.uk/toolpoint
to check the most up to date product applications.*


www.lasertools.co.uk

Introduction

A small but essential kit for setting the camshafts and tensioner on the popular 1.4 and 1.6 FSI petrol engines found across the VAG ranges from 1999 to 2015.

- The engines use one belt to transfer the drive across the camshafts depending on the engine specification the cam setting pins may be used with or without the crossbar provided.
- This kit is suitable for use with the following replacement Cam-belt kits INA 530008910, Contitech CT957K1, Gates K025565XS.

Components



Ref.	Code	OEM Ref	Description
A	C096	T10016/T10074	Camshaft Setting Tool
B	C283	T10060A	Tensioner pin

- Additional tools: Laser 4581.

Applications


Make, Model, Year			Engine Codes	
Audi	A2	2000 - 2006	1.4 AUA BBY	1.6 BAD
Seat	Altea/Altea XL	2006 - 2013	1.4 AFK AHW APE AQQ AUA AUB AXP BBY BBZ	BCA BKY BXW CGGB
	Arosa	1999 - 2005		
	Cordoba	1999 - 2009		
	Ibiza	1999 - 2013		1.6 AUS AZD BCB
	Inca	2000 - 2004		
	Leon	1999 - 2013		
	Toledo	1999 - 2009		
Skoda	Fabia	1999 - 2015	1.4 AUA AUB AXP BBY BBZ	BCA BKY BUD BXW CGGA CGGB
	Octavia	2000 - 2013		
	Praktik	2007 - 2015		
	Roomster	2006 - 2015		
Volkswagen	Beetle	2001 - 2011	1.4 AFK AHW AKQ APE AQQ ARR AUA AUB AXP	1.6 BBY BBZ BCA BKY BUD CGGA CGGB CMAA AJV ARC ATN AUS AVY AZD BAD BCB
	Bora	1998 - 2005		
	Caddy/Caddy Maxi	1999 - 2010		
	Golf IV/V/VI	1998 - 2013		
	Lupo	1998 - 2005		
	Polo	1998 - 2014		

Always refer to the website for most up to date applications: www.lasertools.co.uk/product/6559

Instructions

The following instructions are for guidance only. Please refer to OEM derived data such as the vehicle manufacturers' own data or Autodata.

The use of this Cambelt tool kit is purely down to the user's discretion and The Tool Connection Ltd. cannot be held responsible for any damage caused whatsoever.



Safety Warnings - please read

- If the engine has been identified as an Interference engine, damage to the engine will occur if the timing belt has been damaged. A compression check of all the cylinders should be taken before the cylinder head (s) are removed.
- Do not turn crankshaft or camshaft when the timing belt/chain has been removed.
- To make turning the engine easier, remove the spark plugs/glow plugs or injectors.
- Observe all tightening torques.
- Do not turn the engine using the camshaft or any other sprocket.
- Disconnect the battery earth lead (check Radio code is available).
- Do not use cleaning fluids on belts, sprockets or rollers.
- Some toothed timing belts are not interchangeable. Check the replacement belt has the correct tooth profile.
- Always mark the belt with the direction of running before removal.
- Do not lever or force the belt onto its sprockets.
- Do not use timing pins to lock the engine when slackening or tightening the crankshaft pulley bolts.
- ALWAYS REFER TO A REPUTABLE MANUFACTURERS WORKSHOP MANUAL.



Safety First. Be Protected.

Our products are designed to be used correctly and with care for the purpose for which they are intended. No liability is accepted by the Tool Connection for incorrect use of any of our products, and the Tool Connection cannot be held responsible for any damage to personnel, property or equipment when using the tools. Incorrect use will also invalidate the warranty.

If applicable, the applications database and any instructional information provided has been designed to offer general guidance for a particular tool's use and while all attention is given to the accuracy of the data no project should be attempted without referring first to the manufacturer's technical documentation (workshop or instruction manual) or the use of a recognised authority such as Autodata.

It is our policy to continually improve our products and thus we reserve the right to alter specifications and components without prior notice. It is the responsibility of the user to ensure the suitability of the tools and information prior to their use.



www.lasertools.co.uk

Distributed by The Tool Connection Ltd
Kineton Road, Southam, Warwickshire CV47 0DR
T +44 (0) 1926 815000 F +44 (0) 1926 815888
info@toolconnection.co.uk www.toolconnection.co.uk

Guarantee

If this product fails through faulty materials or workmanship, contact our service department direct on: +44 (0) 1926 818186. Normal wear and tear are excluded as are consumable items and abuse.

6559_Instructions_V2



www.lasertools.co.uk