

Precautions

Our products are designed to be used correctly and with care for the purpose for which they are intended. No liability is accepted by the Tool Connection for incorrect use of any of our products, and the Tool Connection cannot be held responsible for any damage to personnel, property or equipment when using the tools. Incorrect use will also invalidate the warranty.

If applicable, the applications database and any instructional information provided has been designed to offer general guidance for a particular tool's use and while all attention is given to the accuracy of the data no project should be attempted without referring first to the manufacturer's technical documentation (workshop or instruction manual) or the use of a recognised authority such as Autodata.

It is our policy to continually improve our products and thus we reserve the right to alter specifications and components without prior notice. It is the responsibility of the user to ensure the suitability of the tools and information prior to their use.

6895_Instructions_V2

Guarantee

If this product fails through faulty materials or workmanship, contact our service department direct on: **+44 (0) 1926 818186**. Normal wear and tear are excluded as are consumable items and abuse.



Distributed by The Tool Connection Ltd

Kineton Road, Southam, Warwickshire CV47 0DR
T +44 (0) 1926 815000 F +44 (0) 1926 815888
info@toolconnection.co.uk www.toolconnection.co.uk



LASER[®]

6895

Freewheel Mechanism Tool BMW/Mercedes-Benz



www.lasertools.co.uk

www.lasertools.co.uk

6895 - Freewheel Mechanism Tool - BMW/Mercedes-Benz

Developed to allow the BMW and Mercedes vehicles listed to be moved even with the gearbox/transmission locked.

The tool simply mounts between one of the rear wheels and the drive flange allowing the rear wheel to “freewheel”. The tool combined with the action of the vehicles own differential will allow the vehicle to be moved around the workshop without the need for jacks etc. particularly useful when the transmission servo module fails preventing the transmission from being taken out of park.

N.B: the tool is only designed to allow the vehicle to be moved by pushing or slow winching it is not designed to allow the vehicle to be towed.


- Equivalent to OEM tool – 164589036300.
- Particularly useful when the transmission servo module fails preventing the transmission from being taken out of park.
- Max speed 3 MPH/5 KPH.

Applications


- **Mercedes-Benz:** W164 (GL Class), W204 (C Class), W212 (E Class), W221 (S Class), W251 (R Class).
- **BMW:** F01/F02 (7 Series), F10 (5 Series), F12/F13 (6 Series), F25 (X3), F30/F31/F32/F33/F34 (3 and 4 series).
- PCD 112mm (Black bolts) for Mercedes-Benz Applications.
- PCD 120mm (Silver bolts) For BMW.

These instructions are for guidance only. Please refer to OEM derived data such as the vehicles manufactures own data or Autodata.

The use of this freewheeling hub tool is purely down to the user's discretion and The Tool Connection Ltd cannot be held responsible for any damage caused what so ever.



Instructions



1. Remove one rear wheel and fit the 6895 as shown using the appropriate bolts supplied.
2. Bolt the vehicles wheel to the out-side of the 6895.
3. Lower the vehicle back on to its wheels slowly ensuring the wheel does not foul the body work